








LISTE DE PRIX RAMPE LED SUR COMMANDE

LISTE DE PRIX RAMPE LED SUR COMMANDE										
Series	Image	Model	Power	Price	Chip	Beam	Qty	Length	Width	Notes
TC-OMA SERIES		TC-3612A	36w	30€	Epistar led chip . Operating Voltage: 10-30V DC . Waterproof rate: IP 67 . 12pcs*3w high intensity Epistar LEDs . Optional Color: Black,White . Color Temperature: 6000K . Material:Diecast aluminum housing . Lens material:Tempered glass . Mounting Bracket: Alu firm bracket . Beam:12degree Spot/60degree . Spot/flood/Combo . 30000 hours above life time . Certificate: CE RoHS IP67	7.5	2	2520LM	QTY: 6pcs/ctn	
		TC-7224A	72w	48€		13.5	2.5	5040LM	QTY: 6pcs/ctn Ctn Size: 485*415*290mm	
		TC-12040A	120w	72€		21	4	8400LM	QTY: 6pcs/ctn	
		TC-18060A	180w	96€		30	5	12600LM	PKG size: 950*180*150 mm QTY: 4pcs/ctn Ctn Size: 970*370*330 mm	
		TC-24080A	240w	120€		41	6	16800LM	PKG size: 1200*180*150mm QTY: 4pcs/ctn Ctn Size: 1240*370*330 mm	
		TC-30010A	300w	150€		52	8	22500LM	QTY: 4PCS/CTN	
TC-ECC SERIES		TC-3612BC	36W	45€	Cree led chip . Operating Voltage: 10-30V DC . Waterproof rate: IP 67 . 12pcs*3w high intensity CREE LEDs . Optional Color: Black,White . Color Temperature: 6000K . Material:Diecast aluminum housing . Lens material:Tempered glass . Mounting Bracket: Alu firm bracket . Beam:12degree Spot/60degree . 30000 hours above life time . Certificate: CE RoHS IP67	7.5	2.5	3060LM	QTY: 6pcs/ctn	
		TC-7224BC	72W	60€		13.5	3	6120LM	PKG size: 490*180*150 mm QTY: 6pcs/ctn	
		TC-12040BC	120W	90€		21	4	10200LM	PKG size: 690*180*150 mm QTY: 6pcs/ctn	
		TC-18060BC	180W	120€		30	5	15300LM	QTY: 4pcs/ctn	
		TC-24080BC	240W	160€		41	6	20400LM	QTY: 4pcs/ctn	
		TC-28880BC	288W	190€		52	8	24480LM	QTY: 4pcs/ctn Ctn	
TC-ECE SERIES		TC-3612BE	36W	42€	Epistar led chip . 12pcs*3w high intensity Epistar LEDs . optional color: black,white . Color Temperature: 6000K . Material:Diecast aluminum housing . Lens material:Tempered glass . Mounting Bracket: Alu firm bracket . Beam:12degree Spot/60degree . 30000 hours above life time . Certificate: CE RoHS IP67	7.5	2.5	2520LM	QTY: 6pcs/ctn	
		TC-7224BE	72W	60€		13.5	3	5040LM	QTY: 6pcs/ctn	
		TC-12040BE	120W	80€		21	4	8400LM	PKG size: 690*180*150 mm QTY: 6pcs/ctn	
		TC-18060BE	180W	115€		30	5	12600LM	PKG size: 950*180*150 mm QTY: 4pcs/ctn Ctn Size: 970*370*330 mm	
		TC-24080BE	240W	150€		41	6	16800LM	QTY: 4pcs/ctn	
		TC-28880BE	288W	195€		52	8	20160LM	QTY: 4pcs/ctn	
TC-65A SERIES		TC-6518A	18w	20€	Cree led chip Voltag e: 9-32V DC Luminous flux: 1260 Waterproof rate: IP67 Color temperature: 6500K Housing color: black Material: aluminum alloy Lens: PC Beam type: Flood, Spot Work temperature:-40°C~+85°C .Certificate CE RoHS IP67	4	0.9	1530LM	QTY: 20pcs/ctn	
		TC-6519A	36w	35€		7	2	3060LM	QTY: 8pcs/ctn	
		TC-6520A	54w	55€		9	2.5	4590LM	QTY:6pcs/ctn	
		TC-6521 A	72w	70€		12	3	6120LM	QTY: 6pcs/ctn	
		TC-6522A	90w	90€		14	3.5	7650LM	PKG size: 360*73*107mm QTY: 4pcs/ctn Ctn Size:375*90*123mm	
		TC-6523A	108w	95€		17	4	9180LM	PKG size: 432*73*107mm QTY: 4pcs/ctn Ctn Size: 455*90*123mm	
		TG-6524A	126w	100€		20	4.5	10710LM	PKG size: 505*73*107mm QTY: 4pcs/ctn	
		TC-6568A	180w	150€		28	4.8	15300LM	PKG size:90*11.5*10.4 cm QTY:4pcs/ctn	
		TC-6569A	198W	165€		30	5	16830LM	QTY:4pcs/ctn	
		TC-6525A	234w	185€		43	6	19890LM	QTY: 4pcs/ctn	
		TC-6596A	288w	220€		49	7	24480LM	QTY: 4pcs/ctn	
TC-HCEC SERIES		TC-H6120C	120W	100€	Cree Curved led chip . 40pcs*3w high intensity CREE LEDs . optional color: black,white . Color Temperature: 6000K . Material: Aluminum housing . Lens material: PC . Mounting Bracket: Alu firm bracket . Beam: Spot/ flood/Combo . 30000 hours above life time .Certificate: CE RoHS IP67	21.5	4.5	10200LM	QTY: 4pcs/ctn	
		TC-H6180C	180W	145€		31.5	6	15300LM	QTY: 6pcs/ctn Ctn Size:99*29*46 cm	
		TC-H6240C	240W	185€		41.5	8	20400LM	QTY: 4pcs/ctn Ctn Size: 124.5*29*46 cm	
		TC-H6288C	288W	220€		50	9	24480LM	PKG size:141.5*13.5*21.5cm QTY: 4pcs/ctn Ctn Size:143.5*29*46 cm	
		TC-H6300	300W	265€		52	10	25500LM	QTY: 4pcs/ctn	

TC-HDC SERIES		TC-HD100C	100W		135€	Cree Curved led chip Operating Voltage: 10-30V Protection class: IP67	20	4	8500LM	QTY: 4pcs/ctn Ctn Size: 73.5*29*46cm
		TC-HD140C	140W		180€	Current draw: 17.85A@12V,8.93A@24V Color: Black/White	30	4.5	11900LM	QTY: 4pcs/ctn Ctn Size:99*29*46 cm
		TC-HD200C	200W		250€	Material:Diecast aluminum housing Lens material: PC Mounting Bracket: Alu firm bracket	40	5	17000LM	QTY: 4pcs/ctn Ctn Size: 124.5*29*46 cm
		TC-HD240C	240W		300€	30000 hours above life time Certificate: CE RoHS IP67	50	6	20400LM	QTY: 4pcs/ctn Ctn Size:143.5*29*46 cm
TC-63A SERIES		TC-6368A	20W		40€	Cree led chip 40wt h*nsn*I CREEbEDS Color Temperature: 6000K Material:Diecast aluminum housing Lens material:PC Mounting Bracket: Alu firm bracket Beam: 20 degree spot beam optional 30000 hours above life time Certificate: CE RoHS IP67	4	1.5	1700LM	QTY: 4pcs/ctn
		TC-6369A	40W		75€		8	2.5	3400LM	QTY: 4pcs/ctn
		TC-6370A	80W		125€		15	4	6800LM	PKG size: 288*73*107mm QTY: 4pcs/ctn
		TC-6371 A	120W		175€		22	5	10200LM	QTY: 4pcs/ctn
		TC-6372A	160W		220€		28	5.5	13600LM	PKG size: 576*73*107mm QTY: 4pcs/ctn
		TC-6373A	200W		270€		38	6.5	17000LM	PKG size:720*73*107mm QTY: 4pcs/ctn
		TC-6375A	260W		360€		47	8.5	22100LM	QTY: 4pcs/ctn
TC-SMC SERIES		TC-2002C	20W		50€	Cree led chip 10w high intensity "CREE LEDs optional color: elack,write Color Temperature: 6000K Material:Diecast aluminum housing Lens material: PC Mounting Bracket: Alu firm bracket Beam:8degree Spot/60degree flood/Combo 30000 hours above life time Certificate: CE RoHS IP67	4.5	1.5	1700LM	QTY: 20pcs/ctn
		TC-4004C	40W		75€		7.8	2	3400LM	QTY: 10pcs/ctn
		TC-6006C	60W		100€		10.9	2.5	5100LM	PKG size: 690*180*150 mm QTY: 10pcs/ctn Ctn Size: 60*36*28 cm
		TC-10010C	100W		120€		17.2	3	8500LM	PKG size: 490*180*150 mm QTY: 6pcs/ctn
		TC-12012C	120W		150€		20.3	3.5	10200LM	QTY: 6pcs/ctn
		TC-18018C	180W		240€		29.3	4.5	15300LM	QTY: 6pcs/ctn
		TC-24024C	240W		300€		39.1	5.5	20400LM	QTY: 4 pcs/ctn
		TC-26026C	260W		315€		42.4	6.5	22100LM	QTY: 4 pcs/ctn
TC-D2 SERIES		TC-D2040	40W		75€	Cree led chip Operating Voltage: 9-70V DC Waterproof rate: IP 67 10w high intensity CREE LEDs Optional Color: Black,White Color Temperature: 6000K Material:Diecast aluminum housing Lens material: PC Mounting Bracket: Alu firm bracket Beam:8degree Spot/60degree flood/Combo 30000 hours above life time Certificate: CE RoHS IP67	4.6	1.25	3400LM	QTY: 12pcs/ctn
		TC-D2080	80W		120€		7.8	2.5	6800LM	PKG size:325*145*125 mm QTY: 6pcs/ctn Ctn Size: 48*35*29 cm
		TC-D2120	120W		155€		10.9	3.5	10200LM	QTY:6pcs/ctn
		TC-D2200	200W		240€		17.2	5	10200LM	PKG size:565*145*125 mm QTY: 4pcs/ctn
		TC-D2240	240W		270€		20.3	5.5	20400LM	QTY: 4pcs/ctn
		TC-H112C	112W		135€		Cree Curved led chip Operating Voltage: 10-30V DC Waterproof rate: IP 67 Optional Color: Black,White Color Temperature: 6000K Material: Aluminum housing Lens material: PC Mounting Bracket: Alu firm bracket Beam: Spot/ flood/Combo 30000 hours above life time Certificate: CE RoHS IP67	21.5	3.5	9520LM
TC-H224C	224W		170€	41.5	6	19040LM		PKG size:122.5*13.5*21.5cm QTY: 4pcs/ctn Ctn Size: 124.5*29*46 cm		
TC-H264C	264W		290€	50	7	22440LM		QTY: 4pcs/ctn		
TC-ZC SERIES		TC-N68C	68W		105€	Cree led chip Operating Voltage: 10-30V DC Waterproof rate: IP 67 0.5v*1W high intensity CREE LEDs optional color: elack,write Color Temperature: 6000K Material:Diecast aluminum housing Lens material: PC Mounting Bracket: Alu firm bracket Beam:8degree Spot+90degrae flood 30000 hours above life time Certificate: CE RoHS IP67	13.5	3	5780LM	QTY: 6pcs/ctn Ctn Size: 51U*48U*37U mm
		TC-N112C	112W		135€		21	4	9520LM	PKG size: 690*180*150 mm QTY: 6pcs/ctn Ctn Size: 72U*48U*37U mm
		TC-N212C	212W		280€		41.5	6.5	18020LM	QTY: 4pcs/ctn Ctn Size:124*31*33 cm
		TC-N264C	264W		300€		50	8	22440LM	PKG size:1400*180*150 mm QTY: 4 pcs/ctn
TC-SC SERIES		TC-SC36	36W		65€	Include white and amber at same time Operate e deltas: 0-30V DC 3w high intensity cree LEDs optional color: elack,wdite Color Temperature: 6000K Material:Diecast aluminum housing Lens material: PC Mounting Bracket: Alu firm bracket Beam:8degree Spot/90degree flood/Combo 30000 hours above life time Certificate: CE RoHS IP67	13.5	2.5	3060LM	QTY: 6pcs/ctn
		TC-SC72	72W		105€		21	4	10200LM	PKG size: 690*180*150 mm QTY: 6pcs/ctn
		TC-SC120	120W		165€		30	5.3	15300LM	PKG size: 950*180*150 mm QTY: 4pcs/ctn Ctn Size: 97U*37U*33U mm
		TC-SC180	180W		225€		41	6.5	20400LM	QTY: 4pcs/ctn
		TC-SC240	240W		300€		52	8	24480LM	QTY: 4pcs/ctn
		TC-SC288	288W		360€		13.5	3	5100LM	QTY: 6pcs/ctn
TC-BSC SERIES		TC-BCS1060	60W		155€	Cree led chip Operating Voltage: 10-30V DC Waterproof rate: IP 67 6pcs*10w high intensity CREE LEDs Optional Color: Black,White Color Temperature: 6000K Material:Diecast aluminum housing Lens material: PC	21.5	4	8500LM	PKG size:690*180*150 mm QTY: 6pcs/ctn
		TC-BCS1100	100W		255€		31.5	5.3	11900LM	PKG size: 950*180*150 mm QTY: 4pcs/ctn
		TC-BCS1140	140W		310€					

Thank you for using www.freepdfconvert.com service!

Only two pages are converted. Please Sign Up to convert all pages.

<https://www.freepdfconvert.com/membership>